

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO. FILING DATE		FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
09/913,943	08/20/2001	Shigeru Nakamura	500.40513X00	5922		
7590 06/01/2004			EXAM	EXAMINER		
Antonelli Terry Stout & Kraus Suite 1800 1300 North Seventeenth Street Arlington, VA 22209			ORTIZ CRIAI	ORTIZ CRIADO, JORGE L		
			ART UNIT	PAPER NUMBER		
			2655	7		
			DATE MAILED: 06/01/2004			

Please find below and/or attached an Office communication concerning this application or proceeding.

			<u> </u>					
		Applicat	ion No.	pplicant(s)				
		09/913,9	943	NAKAMURA ET AL.				
	Office Action Summary	Examine	r	Art Unit				
	<u>.</u>		Ortiz-Criado	2655				
7 Period for F	The MAILING DATE of this communi Reply	cation appears on th	e cover sheet with the	e correspondence add	ress			
THE MA - Extension after SIX - If the per - If NO per - Failure to Any reply	TENED STATUTORY PERIOD FOR ILLING DATE OF THIS COMMUNIONS OF time may be available under the provisions of time may be available under the provisions of the may be available under the provisions of the may be available under the provisions of the maximum state of the provision	CATION. of 37 CFR 1.136(a). In no e unication. l) days, a reply within the sta tutory period will apply and will, by statute, cause the ap	vent, however, may a reply be tuttory minimum of thirty (30) d vill expire SIX (6) MONTHS fro plication to become ABANDO	timely filed lays will be considered timely. om the mailing date of this con	nmunication.			
Status								
1)⊠ Re	esponsive to communication(s) filed	d on	-					
		b) This action is	non-final.					
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Disposition	of Claims							
4a) 5)□ Cla 6)⊠ Cla 7)□ Cla	aim(s) 1-10 is/are pending in the ap Of the above claim(s) is/are aim(s) is/are allowed. aim(s) 1-10 is/are rejected. aim(s) is/are objected to. aim(s) are subject to restrict	e withdrawn from co						
Application	Papers			•				
9)∐ The	e specification is objected to by the	Examiner.						
10) <u></u> Th∈	10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.							
Ар	plicant may not request that any object	tion to the drawing(s)	be held in abeyance. S	ee 37 CFR 1.85(a).				
	placement drawing sheet(s) including to eath or declaration is objected to				• •			
		by the Examiner. IV		· Action of format 10	J-132.			
Priority under 35 U.S.C. § 119  12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) ☐ All b) ☐ Some * c) ☐ None of:  1. ☐ Certified copies of the priority documents have been received.  2. ☐ Certified copies of the priority documents have been received in Application No  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  * See the attached detailed Office action for a list of the certified copies not received.								
Attachment(s)								
	References Cited (PTO-892) Draftsperson's Patent Drawing Review (PT	CO 040)	4) Interview Summai					
3) 🔲 Informatio	on Disclosure Statement(s) (PTO-1449 or F (s)/Mail Date		Paper No(s)/Mail I 5) Notice of Informal 6) Other: <u>drwaing Sk</u>	Patent Application (PTO-	152)			

Art Unit: 2655

#### **DETAILED ACTION**

### Claim Rejections - 35 USC § 102

- 1. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 2. Claims 1,6 and 16 are rejected under 35 U.S.C. 102(e) as being anticipated by Kajiyama et al. U.S. Patent No. 6,522,990.

Regarding claim 1, Kajiyama et al. discloses an optical information recording and reproduction apparatus (See Abstract; Fig. 2), comprising:

a setting portion of an optical information medium (Fig. 2);

a light source where a plurality of semiconductor laser chips are mounted on an identical surface (See col. 7, lines 50-55; col. 9, line 1-20; Figs. 2-#1a,1b; 4-#1c)

optical convergence means for converging each of a plurality of laser beams radiated from each of laser chips into an optical spot on said optical information medium when the optical information medium is set to said setting portion (See col. 7, lines 50-67; Fig. 2); and

tracking servo means for moving the optical convergence means in a tracking servo direction perpendicular to a track direction such that the optical spot accurately scans the track of the optical information medium (See col. 8, lines 18-33; Fig. 2,3),

Art Unit: 2655

wherein a direction of alignment of said plurality of semiconductor laser chips is substantially perpendicular to the tracking servo direction (See col. 9, lines 1-20; Figs. 2,4)

Regarding claim 6, Kajiyama et al. discloses an optical head used in an optical information recording and reproduction apparatus that performs tracking servo to record and reproduces information when an optical spot is radiated on an optical information medium (See col. 7 line 50 to col. 8, line 39; Figs. 2,3), wherein the optical head comprises:

a light source on which each of semiconductor laser chips having a plurality of wavelengths is mounted on an identical surface (See col. 7, lines 50-55; col. 9, line 1-20; Figs. 2-#1a,1b; 4-#1c);

and optical convergence means for converging each of a plurality of laser beams radiated from each of the laser chip on said optical information medium as the optical spot (See col. 7, lines 50-67; Fig. 2), and

a direction of alignment of said plurality of semiconductor laser chips is substantially perpendicular to said tracking servo direction (See col. 9, lines 1-20; Figs. 2,4)

Regarding claim 1, Kajiyama et al. discloses an optical information recording and reproduction apparatus (See Abstract; Fig. 2), comprising:

- a setting portion of an optical information medium (Fig. 2);
- a light source where a plurality of semiconductor laser chips are mounted on an identical surface (See col. 7, lines 50-55; col. 9, line 1-20; Figs. 2-#1a,1b; 4-#1c)

Art Unit: 2655

optical convergence means for converging each of a plurality of laser beams radiated from each of laser chips into an optical spot on said optical information medium when the optical information medium is set to said setting portion (See col. 7, lines 50-67; Fig. 2); and

tracking servo means for moving the optical convergence means in a tracking servo direction perpendicular to a track direction such that the optical spot accurately scans the track of the optical information medium (See col. 8, lines 18-33; Fig. 2,3),

wherein a direction of alignment of the optical spots formed on the optical information medium is substantially perpendicular to the tracking servo direction (See col. 9, lines 1-20; Figs. 2,4)

## Claim Rejections - 35 USC § 103

- 3. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 4. Claim 2-5 and 7-10 rejected under 35 U.S.C. 103(a) as being unpatentable over Kajiyama et al. U.S. Patent No. 6,522,990 in view of Uchizaki et al. U.S. patent No. 6,646,975

Regarding claim 2, Kajiyama et al. discloses an optical information recording and reproduction apparatus (See col. 7 line 50 to col. 8, line 39; Figs. 2,3) that comprises:

Art Unit: 2655

a first reflection plane that reflects the laser beams radiated from each of the plurality of the semiconductor laser chips (See col. 7, liners 62-65; Fig. 2-# 2) and

a second reflection plane that guides the laser beams from the first reflection plane to the optical convergence means (See col. 7, liners 62-65; Fig. 2-# 4),

Kajiyama et al. fails disclose wherein the first reflection plane is formed on the same plate as the mount surface for the laser chips.

However this feature is well known in the art as evidenced by Uchizaki et al., which discloses an optical information recording and reproduction apparatus having a first reflection plane that reflects the laser beams radiated from each of a plurality of the semiconductor laser chips wherein the first reflection plane is formed on the same plate as the mount surface for the laser chips (See col. 12, line 34 to col.13 line 8; Fig. 8)

Therefore it would have been obvious to one with ordinary skill in the art at the time of the invention to make a first reflection plane formed on the same plate as the mount surface for the laser chips, in order to enable realization of a very thin and compact optical unit by integrating the semiconductor chips as suggested by Uchizaki et al.

Regarding claim 3, The combination of Kajiyama et al. with Uchizaki et al. would show wherein the laser beams from the first reflection plane is made to be incident from the tracking servo direction to the second reflection plane, and a plurality of the semiconductor laser chips are arranged in an inner plane direction parallel to an optical information medium plan (See Kajiyama et al. col. 7, liners 62-65; col. 9, lines 1-20; Figs. 2,4).

Art Unit: 2655

Regarding claim 4, The combination of Kajiyama et al. with Uchizaki et al. would show wherein the laser beams from the first reflection plane is made to be incident from the track direction to the second reflection plane, and a plurality of the semiconductor laser chips are arranged in an inner plane direction perpendicular to the optical information medium plane (See Kajiyama et al. col. 7, liners 62-65; col. 9, lines 1-20; Figs. 2,4).

Regarding claim 5, 7 and 10, Kajiyama et al. discloses all the limitations based on claim 1 and 6 as outlined above.

Kajiyama et al. discloses a first reflection plane for reflecting the laser beam radiated from each of a plurality of the semiconductor laser chips; and a second reflection laser beam from the first optical convergence means plane (See Kajiyama et al. col. 7, liners 62-65; col. 9, lines 1-20; Figs. 2,4)

Kajiyama et al. fails to disclose wherein photodetecting elements for receiving each of a plurality of the laser beams radiated from each of the laser chips are provided on a surface where said laser chips are mounted and wherein the first reflection plane is formed on the same plate as the mount surface for the laser chips

However this feature is well known in the art as evidenced by Uchizaki et al., which discloses an optical information recording and reproduction apparatus having a first reflection plane that reflects the laser beams radiated from each of a plurality of the semiconductor laser chips wherein the first reflection plane is formed on the same plate as the mount surface for the laser chips and wherein photodetecting elements for receiving each of a plurality of the laser

Art Unit: 2655

beams radiated from each of the laser chips are provided on a surface where said laser chips are mounted (See col. 12, line 34 to col.13 line 8; Fig. 8).

Therefore it would have been obvious to one with ordinary skill in the art at the time of the invention to make a first reflection plane formed on the same plate as the mount surface for the laser chips, in order to enable realization of a very thin and compact optical unit by integrating the semiconductor chips and the photodetectors as suggested by Uchizaki et al.

Regarding claim 8, The combination of Kajiyama et al. with Uchizaki et al. would show wherein the laser beams from the first reflection plane is made to be incident from the tracking servo direction to the second reflection plane for guiding the reflection plane to the wherein the first reflection same as the mount surface plane, and a plurality of the semiconductor laser chips are arranged in an inner plane direction parallel to an optical information medium plane (See Kajiyama et al. col. 7, liners 62-65; col. 9, lines 1-20; Figs. 2,4).

Regarding claim 9, The combination of Kajiyama et al. with Uchizaki et al. would show wherein the laser beams from the first reflection plane is made to be incident from the track direction to the second reflection plane, and a plurality of the semiconductor laser chips are arranged in an inner plane direction perpendicular to the optical information medium plane (See Kajiyama et al. col. 7, liners 62-65; col. 9, lines 1-20; Figs. 2,4).

# Response to Arguments

5. Applicant's arguments filed 3/18/2004 have been fully considered but they are not persuasive.

Applicant's response to the rejection of claims 1, 6 and 16 as unpatentable over Kajiyama et al.

Applicants argue that Kajiyama et al. does not disclose or suggest wherein a direction of alignment of said plurality of semiconductor laser chips is substantially perpendicular to the tracking servo direction.

The Examiner cannot concur because Kajiyama et al. discloses wherein a direction of alignment of said plurality of semiconductor laser chips is substantially perpendicular to the tracking servo direction wherein a direction of alignment of the optical spots formed on the optical information medium is substantially perpendicular to the tracking servo direction (See col. 9, lines 1-20; Fig 2,4; See the Attached Sketch of Fig. 1, labeled Sketch 1A)

#### Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE

MONTHS from the mailing date of this action. In the event a first reply is filed within TWO

MONTHS of the mailing date of this final action and the advisory action is not mailed until after

the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jorge L Ortiz-Criado whose telephone number is (703) 305-8323. The examiner can normally be reached on Mon.-Thu.(8:30 am - 6:00 pm), Alternate Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Doris H To can be reached on (703) 305-4827. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

joc

DORIS H. TO SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600